

SPECIFICATION SHEET

JOB NAME: _____
 LOCATION: _____
 QUOTE/REF#: _____



The ULD2800 Series is a high-powered, 120V under cabinet fixture that combines style and efficiency. The ULD2800 Series comes in sleek design perfect for any cabinet or countertop lighting application.

FEATURES


- Switchable Color Temperatures
- 120V NO TRANSFORMER REQUIRED
- Dimmable with ELV/TRIAC dimmers
- Linkable up to 400W
- Superior color rendering index 90 CRI
- Seamless connector included
- **Title 24 JA8 Compliant**
- 4 Different Sizes Available
- Complies with Energy Star certifications

SPECIFICATIONS

INPUT VOLTAGE	120V
POWER CONSUMPTION	10W per foot
LUMEN OUTPUT	750 Lumens per Ft
CCT	OPTION 1: 3000K, 3500K and 4000K OPTION 2: 2700K, 3000K and 3500K
CRI	90+
EFFICACY (lm/W)	>75
DIMMING	ELV/TRIAC Dimming
POWER FACTOR	≥0.9
MAXIMUM RUN LENGTH	Linkable up to 400W
MOUNTING	Surface
OPERATING TEMP	-10°C ~ 40°C
LUMEN MAINTENANCE	50,000 hrs.
FINISH OPTIONS	Bronze, White
CERTIFICATIONS	ETL listed, Energy Star, TITLE 24 JA8
DIMENSIONS	1.1" width x 0.94" height

MODEL	ULD2812	ULD2816	ULD2824	ULD2832
LENGTH	12"	16"	24"	32"
WATTS	10W	13W	20W	26W
LUMENS	750	950	1500	2000

DIMENSIONS



ULD2800 SERIES 120V Selectable CCT LED Undercabinet

COMPATIBLE ACCESSORIES



ULD-JBA-WH (white)
ULD-JBA-BZ (bronze)

Direct Wire Junction Box w/ switch
6.25" x 35/8" x 1"

*2 pcs Romex connectors
included with each unit



ULD-JBS-WH

Direct Wire Junction Box
3.56" x 1.73" x 1.21"



ULD-OCS-JB-WH (white)
ULD-OCS-JB-BZ (bronze)

Direct Wire Junction Box w/ sensor



ULD-PCA-72-WH (white)
ULD-PCA-72-BK (black)

AC Direct Plugin Cable
72" White Cable



ULD-HWC-72-WH (white)
ULD-HWC-72-BK (black)

72" Hardwire connector



ULD-SMC-WH (white)
ULD-SMC-BZ (black)

Seamless Connector



ULD-LNK-6-WH (white) 6" interlink cable
ULD-LNK-6-BK (black) 6" interlink cable
ULD-LNK-12-WH (white) 12" interlink cable
ULD-LNK-12-BK (black) 12" interlink cable
ULD-LNK-24-WH (white) 24" interlink cable
ULD-LNK-24-BK (black) 24" interlink cable
ULD-LNK-72-WH (white) 72" interlink cable
ULD-LNK-72-BK (black) 72" interlink cable

ULD2800 SERIES 120V Selectable CCT LED Undercabinet

STANDARD ORDERING CODE

SELECTABLE 30K - 35K - 40K

Model	Color Temp	FINISH
ULD	2812 12" Fixture	BZ Bronze
	2816 16" fixture	WH White
	2824 24" fixture	
	2832 32" fixture	

SELECTABLE 27K - 30K - 35K

Model	Color Temp	FINISH
ULD	2812-27 12" Fixture	WH White
	2816-27 16" fixture	
	2824-27 24" fixture	
	2832-27 32" fixture	