

ALP70R

Recessed Mount LED Profile



JOB NAME: _____
LOCATION: _____
QUOTE/REF#: _____

The **ALP70R** is an architectural-grade LED extrusion designed for recessed applications and compatible with linear LED strips up to 15mm (0.59") wide. Made from high quality aluminum, these extrusions provide superior thermal management for LED strips and prolong the lighting system's lifespan. Manufactured with a patented frosted diffuser for maximum lumen output and wider beam distribution.

SPECIFICATIONS

TYPE	Recessed mount
AVAILABLE LENGTHS	48" and 98"
FINISH	Silver, Black
LENS OPTIONS	Frosted
CHANNEL	ALP70R
LENS (INCLUDED)	ALP70R-LN
END CAP	ALP70R-EC

Compatible with LED strips up to 15mm (0.59") wide.

LED tape light sold separately.

Frosted Lens diffuser included


2 (two) end caps included with every channel.

Custom color finishes available (powder-coating).

FEATURES

- Customizable
- Durable, anodized aluminum
- Protects LED systems from dust and other elements
- Slim, low profile design
- Dissipates heat from LED, prolonging its lifetime

DIMENSIONS



STANDARD ORDERING CODE

Model	Length	Finish
ALP70R	48 48"	Si Silver
	98 98"	BK Black
		CU Custom (powder-coat)

NOTE: Custom color finishes require powder coating. Allow 7 days lead time.

COMPATIBLE LED STRIPS

Indoor	Outdoor	Color-changing
LSM-15 1.5W/Ft., 120 Lumens	LSMW-15 1.5W/FT, 120 Lumens	LSP-20-RGB 2.2W/FT
LSM-25 2.2W/Ft., 185 Lumens	LSMW-30 3.0W/FT, 250 Lumens	LSP-50-RGB 4.4W/FT
LSM-30 3.0W/Ft., 250 Lumens		LSP-50-RGB-DX 4.4W/FT Digital
LSM-32CB 3.2W/Ft., 292 Lumens		LSP-52-RGBW 4.4W/FT
LSM-35 3.0W/Ft., 290 Lumens		LSM-55-RGBW 5W/FT
LSM-35WD 3.6W/Ft., Auto Warm Dim		LSP-70-RGBWW 7W/FT
LSM-40HF 4.0W/Ft., 440 Lumens		
LSM-45 4.4W/Ft., 370 Lumens		
LSP-50 4.4W/Ft., 380 Lumens		
LSM-55 5.5W/Ft., 500+ Lumens		
LSM-55MX 5.5W/Ft., 500+ Lumens		
LSM-55WD 5.5W/Ft., Auto Warm Dim		
LSM-75HF 7W/Ft., 784 Lumens		