


JOB NAME:	
OOD IV WIL.	
LOCATION:	
QUOTE/REF#:	

19.5 in (495.3 mm)



0.45 in (11.5 mm)

SPECIFICATIONS

INPUT VOLTAGE 120V DC

POWER CONSUMPTION 2.0W per foot

LUMEN OUTPUT 147 Lumens per foot (40K)

NO. OF LEDs 19 LEDs per foot

BEAM ANGLE 120°

CRI 90 +

DIMMING Compatible with CL dimmers

MAXIMUM RUN LENGTH 150 Feet

FIELD CUTTABLE Every 19.5 in

IP RATING IP65 wet location (outdoor)

LUMEN MAINTENANCE 50,000 hrs.

OPERATING TEMPERATURE -40°F(-40°C)~+140°F(+60°C)

BINNING 1.5 Step Macadam Elipse

CERTIFICATIONS UL listed, TITLE 24 JA8

DIMENSIONS 0.47" x 0.25 (width x height) LSH20N is a dimmable flexible LED strip capable of delivering up to 147 Lumens of light output per foot. These flexible LED lights is cuttable every 19.5", and produces a 120° light beam spread. These strips are great for common commercial and residential lighting applications such as under cabinet and cove lighting, shelf and display lighting, interior signage, exhibit lighting and more. Flux LED series are bright eco-friendly LED strips.

FEATURES

- 2.0W per Foot
- 19 LEDs per ft.
- 120V No Transformer Required
- California TITLE 24 JA8 compliant
- Suitable for accent or ambient lighting
- Multiple CCT options available
- Superior COLOR RENDERING INDEX (CRI)
- UL Listed
- Dimmable with CL dimmers

COLOR TEMP	CRI	LUMEN/FT
4000K	90+	147















LSH20N 2.0W 120V Outdoor Flexible LED Strip

4000K



STANDARD ORDERING CODE

Model **Color Temp** Length **50** 50 Ft. LSH20N 40K

> 150 150 Ft.

Voltage

120 120 Volts DC

NOTE: Custom color finishes require powder coating. Allow 7 days lead time.



COMPATIBLE ACCESSORIES

ALUMINUM CHANNEL

LSH20N-AC2 2" Aluminum Channel 36" Aluminum Channel LSH20N-AC36

FINISH Anodized Silver

LENS N/A **PLASTIC CHANNEL**

LSH20N-PC2 2" Plastic Channel LSH20N-PC36 36" Plastic Channel

FINISH Plastic LENS N/A



POWER CORD ADAPTOR

LSH20N-PCA60 60" Power Cord



CLEAR MOUNTING CLIPS

LSH20N-CL *1 pair included



EXTENSION LINK CABLE

LSH20N-LNK2 2" Extension Cable LSH20N-LNK8 8" Extension Cable



MINI COUPLING

LSH20N-MC Seamless Connector