

ALP150LX

Surface, Suspended Linear LED Profile



The ALP-150LX is an Architectural Grade LED profile designed for linear LED strips up to 24mm wide. Made from high quality aluminum, these extrusions provide superior thermal management for higher wattage LED strips and prolong the overall lifetime of your lighting system. The ALP-150LX is manufactured with a patented frosted diffuser for maximum lumen output and wide beam distribution. The ALP-140LX also helps protect LED's from dust and other undesirable elements, which can shorten the lifetime of the LED.

FEATURES


- SURFACE, SUSPENDED
- Compatible with LED strips up to 24.5MM (096")
- Durable, anodized aluminum
- Frosted lens diffuser up to 150 Ft.
- Protects LED systems from dust and oteher elements
- Dissipates heat from LED, prolonging its lifetime
- Remote mounted power supply sold separately

SPECIFICATIONS

TYPE	Surface, Suspended Mount
AVAILABLE LENGTHS	49.25" / 98.5"
FINISH	White, Black
LENS	Flexible Frosted Diffuser (UP TO 150FT)

COMPONENTS

PROFILE	ALP150LX
LENS	ALP150LX-LN (sold separately)
END CAP	ALP150LX-EC (sold separately)
CABLE SUSPENSION KIT	ALP-CS12 (sold separately)
POWER FEED KIT	ALP-CF (sold separately)
NON-POWER FEED KIT	ALP-CSB (sold separately)



ALP150LX

Surface, Suspended Linear LED Profile

STANDARD ORDERING GUIDE

Model	Length	Lens	Finish
ALP150LX	49 49.25"	FR Frosted	WH White
	98 98.5"		BK Black

LENS ORDERING GUIDE

Model	Length
ALP150LX-LN	49 49.25"
	98 98.5"
	PF per foot (sold in increments of 12" available up to 150 ft. continuous)

ALP150LX

Surface, Suspended Linear LED Profile

OPTIONAL ACCESSORIES

ALP-CS12
Cable Suspension Kit



ALP-CF-WH
White Power Feed Kit

ALP-CF-BK
Black Power Feed Kit



ALP-CSB-WH-2
2" Non-Power Feed Kit
(White)

ALP-CSB-BK-2
2" Non-Power Feed Kit
(Black)



ALP-CSB-WH-5
5" Non-Power Feed Kit
(White)

ALP-CSB-BK-5
5" Non-Power Feed Kit
(Black)

