

LWW120-HO

120V-277V High-Performance LED Wall Washer

JOB NAME: _____
LOCATION: _____
QUOTE/REF#: _____



LWW120-HO Linear Wall washer series is a powerful 120V LED flood light typically used for building facades, signs or any wall washing application Available in multiple optical lens options to provide endless lighting solutions. Available in narrow, medium, wide and elliptical optic options.


SPECIFICATIONS

POWER CONSUMPTION	12W/Ft.
CONTROL	0-10V
CRI	90
LUMENS	100 Lm/W @ 35K
MAXIMUM RUN LENGTH	Linkable up to 60 ft
OPERATING VOLTAGE	100V-277VAC
OPERATING FREQUENCY	50 / 60 Hz
STORAGE TEMPERATURE	-40°C to 85°C
OPERATING TEMPERATURE	-40°C to 50°C
BEAM ANGLE OPTIONS	10° / 20° / 35° / 50° / 15° x 40°
HOUSING	6063 Extruded aluminum
IP RATING	IP66 Outdoor/Wet Location
LUMEN MAINTENANCE	50,000 hrs.

FEATURES

- 100 Lumens per watt @ 3500K
- Linkable up to 60 ft.
- Proprietary Optical Technology
- 0-10V Dimming
- Proprietary Adjustable Mounting Bracket
- Facade Wall Washing
- Graze Lighting
- Signage

COLOR TEMPERATURE IN KELVINS



LWW120-HO

120V-277V High-Performance LED Wall Washer

STANDARD ORDERING CODE


Model	Length	Color Temp	Optic	Finish Options	Options	Voltage
LWW120-HO	12 12 IN (12W)	27K 2700K	10 10°	TG Titanium Gray	ADLV Assymmetric Anti-Glare Louver	UNV 120V - 277V
	24 24 IN (24W)	30K 3000K	20 20°	*BK Black		
	36 36 IN (36W)	40K 4000K	35 35°	*WH White	SDLV Symmetric Anti-Glare Louver	
	48 48 IN (48W)	50K 5000K	50 50°			
		60K 6000K	1540 15° x 40°			
		RD Red				
		GN Green				
		BL Blue				

* allow 4 weeks lead time

LWW120-HO


120V-277V High-Performance LED Wall Washer

BEAM SPREAD




DIMENSIONS






*units in MM



with symmetric
anti-glare louver



with asymmetric
anti-glare louver



LWW120-HO

120V-277V High-Performance LED Wall Washer

COMPATIBLE ACCESSORIES

LWW120-LNK-10 | 10" LINK CABLE
LWW120-LNK-36 | 36" LINK CABLE
LWW120-LNK-72 | 72" LINK CABLE

(SOLD SEPARATELY)



LWW120-HWC-72 | 72" HARDWIRE CABLE

LWW120-HWC-120 | 120" HARDWIRE CABLE

(SOLD SEPARATELY)



LWW120-HO

120V-277V High-Performance LED Wall Washer

CORE
ARCHITECTURAL
LIGHTING

COMPATIBLE ACCESSORIES

LWW120-HO-12-SDLV
LWW120-HO-24-SDLV
LWW120-HO-36-SDLV
LWW120-HO-48-SDLV

12", 24", 36", 48"
Symmetric Louver
(SOLD SEPARATELY)



LWW120-HO-12-ADLV
LWW120-HO-24-ADLV
LWW120-HO-36-ADLV
LWW120-HO-48-ADLV

12", 24", 36", 48"
Asymmetric Louver
(SOLD SEPARATELY)

