

ALP-2100TL

1" APERTURE SYMMETRICAL TRIMLESS RECESSED MOUNT

Project

Location

Quote/ Ref #

The **ALP-2100TL** is a trimless, architectural-grade, recessed mount, LED profile designed to fit two indoor linear LED strips up to 10mm wide. With a depth of only 0.49" (12.5mm), the ALP-2100TL can be easily recessed and installed within a dry wall. The ALP-2100TL is manufactured with a patented frosted diffuser for maximum lumen output and wide beam distribution.



SPECIFICATIONS

TYPE	Recessed
LED STRIP	Fits up to two 10mm (0.4")
LENS OPTION	Frosted
APERATURE	1 Inch
AVAILABLE LENGTHS	48 In. / 96 In.
FINISH	Matte White
CHANNEL	ALP-2100TL
LENS	ALP-2100TL-LN
END CAP	ALP-2100TL-EC
STRAIGHT CONNECTOR	ALP-2000TL-STB
INTERNAL CONNECTOR	ALP-2000TL-INB
RIGHT ANGLE CONNECTOR	ALP-2000TL-L90
TRANSFORMER	Remote Install

FEATURES

- Field Cuttable
- Accomodates either one or two indoor LED strips
- 1" Aperture
- Installs within drywall depth
- Recessed mount to fit flush onto installation surface
- Frosted Lens diffuser included
- Dissipates heat from LED, prolonging its lifetime

** LED strips sold separately.*
** Remote mounted power supply sold separately.*




MODEL	LENGTH	LENS
ALP-2100TL	48 48"	FR Frosted Lens
	96 96"	
* Frosted Lens included		

ALP-2100TL

1" APERTURE SYMMETRICAL TRIMLESS RECESSED MOUNT

DIMENSIONS




COMPATIBLE ACCESSORIES

ALP-2100TL-EC

END CAP


*SOLD SEPARATELY



ALP-2000TL-STB

STRAIGHT CONNECTOR

*SOLD SEPARATELY



ALP-2100TL

1" Aperture Symmetrical Trimless Recessed Mount

COMPATIBLE ACCESSORIES

ALP-2000TL-INB
INTERNAL CONNECTOR

*SOLD SEPARATELY

