ALP-160

SURFACE/ SUSPENDED MOUNT LED PROFILE

The **ALP-160** is an Architectural Grade LED extrusion profile designed for linear LED strips up to 38mm (1.5") wide. Made from high quality aluminum, these extrusions provide superior thermal management for higher wattage LED strips and prolong the overall lifetime of your lighting system. The ALP-160 is manufactured with a patented frosted diffuser for maximum lumen output and wide beam distribution. The ALP-160 also helps protect LED's from dust and other undesirable elements, which can shorten the lifetime of the LED.

SPECIFICATIONS

TYPE	Surface/ Suspended Mount	
AVAILABLE LENGTHS	49.25 in./ 98.5 in.	
FINISH	White/ Black/ Silver	
LENS OPTION	Frosted (Included)	
CHANNEL	ALP-160	
LENS	ALP160-LN (Frosted)	
END CAP	ALP160-EC (Included)	
SUSPENSION KIT	ALP-CS12	
CANOPY KIT	ALP-CFH	
WARRANTY	5 Years	

* TWO END CAPS INCLUDED WITH EVERY CHANNEL



	UPDATED: 1.29.2
Project	
Location	
Quote/ Ref #	



FEATURES

- Customizable
- Compatible with 38mm (1.5") wide LED strips
- Durable, military-grade aluminum
- Frosted lens diffuser included
- \cdot $\,$ Protects LED systems from dust and other elements
- Dissipates heat from LED, prolonging its lifetime




MODEL	LENGTH	LENS	FINISH
ALP-160	49 49.25 in.	FR Frosted Lens	WH White
	98 98.5 in.		BK Black
			SI Silver
			CU Custom (Powder Coat)
1			
		1 1 1 1	* Custom color finishes require powder coating. Allow 7 days lead time.

ALP-160

SURFACE/ SUSPENDED MOUNT LED PROFILE

DIMENSIONS



MOUNTING ACCESSORIES

ALP-CS12 EUROPEAN SUSPENSION KIT *SOLD SEPARATELY




SUSPENSION KIT ACCESSORIES

POWER FEED KIT

ALP-CF-WH WHITE POWER FEED KIT

ALP-CF-BK BLACK POWER FEED KIT

*SOLD SEPARATELY





ALP-160

SURFACE/SUSPENDED MOUNT LED PROFILE

SUSPENSION KIT ACCESSORIES



ALP-CSB-WH-2 2" WHITE FEED KIT

ALP-CSB-BK-2 2" BLACK FEED KIT


* SOLD SEPARATELY

5" NON-POWER FEED KIT

ALP-CSB-WH-5 5" WHITE FEED KIT

ALP-CSB-BK-5 5" BLACK FEED KIT

* SOLD SEPARATELY



О

2 in.

