LSG-40-277V



277V AC LED TAPE LIGHT

The **LSG-40** is a dimmable 277V AC outdoor tape light offering the highest quality in direct-connect LED lighting. It can be ordered in custom lengths, in 6 inch increments and comes sealed with an IP67 rating for outdoor or wet installations and applications. This ETL Listed, 277V linear light can reach a maximum length of 150Ft. in a single continuous run.

SPECIFICATIONS

INPUT VOLTAGE	277V AC			
POWER CONSUMPTION	3W 5.5W			
LUMEN OUTPUT	392 Lumens per Ft.			
CRI	90+			
COLOR TEMPERATURE	24K/ 27K/ 30K/ 35K/ 40K/ 50K/ 65K			
DIMMING	ELV and TRIAC			
MAXIMUM RUN LENGTH	150 Ft.			
CUTTABLE	Every 6 in (152.4mm)			
BINNING	MacAdam Ellipse 2-Step			
OPERATING VOLTAGE	120V AC			
OPERATING TEMPERATURE -4°F (-20°C) to 107°F (42°C)				
BEAM ANGLE	120°			
IP RATING	IP67			
CERTIFICATIONS	ETL Listed			
LUMEN MAINTENANCE	50,000 Hrs.			

Project ______ Location ______ Quote/ Ref # _____



FEATURES

- Line Voltage Linear Light
- · 277V AC, No power supply required
- Continuous Run up to 150 Ft.
- Wet and Dry Locations
- 90+ CRI
- Suitable for Indoor/ Outdoor use
- Custom length available every 6 in.
- Dimmable
- ETL Listed




	1 1 1 1	1 1 1 1			
MODEL	WATTS	COLOR TEMP	LENGTH	VOLTAGE	POWER FEED
LSG	30 3W	24K 2400K	per Ft.	277 277 Volts	HWC36 36" Hardwire Power Feed Cable
	50 5.5W	27K 2700K	- 		HWC72 72" Hardwire Power Feed Cable
	 	30K 3000K			HWC120 120" Hardwire Power Feed Cable
	1 1 1	35K 3500K	- 		HWC240 240" Hardwire Power Feed Cable
	 	40K 4000K			HWC-CUS Custom Length Wire
	- 	50K 5000K	- 		
	1 1 1 1 1 1	65K 6500K	*1 = Custom length per FT. (cuttable every 6")		

LSG-40-277V



277V AC LED TAPE LIGHT

DIMENSIONS



LSG-AC2000FR-MC MOUNTING CLIP * 2PCS INCLUDED WITH EVERY 48" * 4PCS INCLUDED WITH EVERY 84"



LSG-40-277V

4W 120V AC LED TAPE LIGHT

COMPATIBLE ACCESSORIES

MOUNTING CLIP

LSG-MC MOUNTING CLIP



