

IGU-300AD

IN-GROUND LINEAR ADJUSTABLE UPLIGHT

Project _____
Location _____
Quote/ Ref # _____

IGU-300AD is an adjustable in-ground linear uplight featuring multiple beam angle options including long, narrow pattern and assymetric optic. Designed for in-ground/recessed installations in concrete or lawns, this fixture is ideal for wall washing and illuminating ground mounted signs and linear objects.



SPECIFICATIONS

INPUT VOLTAGE	120-277V AC
POWER CONSUMPTION	12.25W/Ft.
LUMEN OUTPUT	70 Lm/ W
COLOR TEMPERATURE	27K / 30K / 35K / 40K / 60K / Red / Green / Blue / Amber / Yellow / RGB / RGBW / RGBA
BEAM ANGLE	8° / 15° / 30° / 45° / 60° / 10° x 40° / 20° x 60° / Asymmetric
CRI	80+, 90 (optional, consult factory)
DIMMING	0-10V, DMX, DALI, Casambi
HOUSING	Extruded Anodized Aluminum
COVER	Tempered Glass
TOP COVER FRAME	Stainless Steel 316
OPERATING TEMPERATURE	-4°F (-20°C) ~ 122°F (50°C)
STORAGE TEMPERATURE	-4°F (-20°C) ~ 140°F (60°C)
IP RATING	IP67
MAX LOAD	1000 lbs (500 kgs)
CERTIFICATIONS	3G Vibration, RoHS, ETL Listed
LUMEN MAINTENANCE	50,000 Hrs.
IMPACT RATING	IK09
WEIGHT	1.46 kg/ Ft. (3.22 lbs)

FEATURES

- 120 - 277V AC
- Field Adjustable
- ±15° Tilt Adjustment
- Max load 1000 lbs (500kgs)
- Built-in Driver
- Stainless Steel Frame
- Clear Tempered Glass
- Recessed Housing Included
- 3G Vibration




MODEL	TYPE	LENGTH	COLOR TEMP			OPTIC		FINISH	VOLT	CONTROL	OPTIONS
IGU300	AD Adjustable	12 12 in. (12.25W)	27K 2700K	RD Red	RGB RGB	8 8°	1040 H10° x V40°	SS Stainless Steel	UNV 120-277V	NDM No Dimming	OLV Optic Louver
	BLANK Non Adjustable	20 20 in. (20W)	30K 3000K	GR Green	RGBW RGBW	15 15°	2060 H20° x V60°			D10 0-10V Dimming	HC Honeycomb Louver
		40 40 in. (40W)	35K 3500K	BL Blue	RGBA RGBA (Amber)	30 30°	ASY Asymmetric			DMX DMX	MG Micro Grill Shield
			40K 4000K	AM Amber		45 45°				DALI Dali	
			60K 6000K	YE Yellow		60 60°				CAS Casambi	


IGU-300AD

IN-GROUND LINEAR ADJUSTABLE UPLIGHT

DIMENSIONS



OPTICS



IGU-300AD

IN-GROUND LINEAR ADJUSTABLE UPLIGHT

OPTIONAL ACCESSORIES


IGU300-OLV
OPTIC LOUVER



IGU300-HC
HONEYCOMB LOUVER



IGU300-MG
MICRO GRILL LOUVER



PRODUCT OVERVIEW

