

# LWW120-SL

## 120V-277V HIGH-OUTPUT LED WALL WASHER

Project \_\_\_\_\_  
Location \_\_\_\_\_  
Quote/ Ref # \_\_\_\_\_

**LWW120-SL** Linear Wall washer series is a powerful 120V LED flood light typically used for building facades, signs or any wall washing application Available in multiple optical lens options to provide endless lighting solutions. Available in narrow, medium, wide and elliptical optic options.



### SPECIFICATIONS

INPUT VOLTAGE	120-277 AC
OPERATING FREQUENCY	50/ 60 Hz
POWER CONSUMPTION	9W per Foot
LUMEN OUTPUT	100 Lm./ W (35K)
COLOR TEMPERATURE	27K/ 30K/ 35K/ 40K/ 50K
BEAM ANGLE	15°/ 20°/ 35°/ 50°/ 10° x 40°
MAX RUN	Linkable up to 60 ft.
CRI	90+
DIMMING	0-10V
HOUSING	Extruded Aluminum
IP RATING	IP66 Outdoor/ Wet Location
CERTIFICATIONS	ETL Listed
LUMEN MAINTENANCE	50,000 Hrs.
WARRANTY	5-Year Limited

### FEATURES

- 90+ CRI
- Multiple beam angles
- Multiple CCT options available
- ETL Listed





MODEL	LENGTH	COLOR TEMP	OPTICS	MOUNTING	FINISH	OPTIONS	VOLTAGE
LWW120-SL	<b>12</b> 11.81 in (9W)	<b>27K</b> 2700K	<b>15</b> 15°	<b>STB</b> Standard Tilting Bracket	<b>TG</b> Titanium Grey	<b>ADLV</b> Asymmetric Anti-Glare Louver	<b>UNV</b> 120V-277V
	<b>24</b> 23.62 in (18W)	<b>30K</b> 3000K	<b>20</b> 20°	<b>ETB</b> Extended Tilting Bracket	<b>BK</b> Black	<b>SDLV</b> Symmetric Anti-Glare Louver	
	<b>36</b> 35.43 in (27W)	<b>35K</b> 3500K	<b>35</b> 35°	<b>WMS</b> Small Wall Mount Arms	<b>WH</b> White		
	<b>48</b> 47.24 in (36W)	<b>40K</b> 4000K	<b>50</b> 50°	<b>WML</b> Large Wall Mount Arms			
		<b>50K</b> 5000K	<b>1040</b> 10° x 40°				


# LWW120-SL

## 120V-277V HIGH-OUTPUT LED WALL WASHER


### DIMENSIONS




LWW120-SL-12



LWW120-SL-24



LWW120-SL-36




LWW120-SL-48

# LWW120-SL


## 120V-277V HIGH-OUTPUT LED WALL WASHER

### OPTICS




### MOUNTING ACCESSORIES


**LWW120-STB**  
STANDARD TILTING BRACKET  
\*Included with every Fixture



**LWW120-ETB**  
EXTENDED TILTING BRACKET  
\*Sold Separately



**LWW-WMS**  
SMALL WALL MOUNT ARM (6-9")  
\*Sold Separately



**LWW-WML**  
LARGE WALL MOUNT ARM (14-22")  
\*Sold Separately

# LWW120-SL

## 120V-277V HIGH-OUTPUT LED WALL WASHER


### COMPATIBLE ACCESSORIES

#### LWW120-EC

END CAP

\*Sold Separately

\*One end cap required per run length



#### LWW120-SL-12-ADLV


LWW120-SL-24-ADLV

LWW120-SL-36-ADLV

LWW120-SL-48-ADLV

12", 24", 36", 48" ASYMMETRIC LOUVER

\*Sold Separately



#### LWW120-SL-12-SDLV


LWW120-SL-24-SDLV

LWW120-SL-36-SDLV

LWW120-SL-48-SDLV

12", 24", 36", 48" SYMMETRIC LOUVER

\*Sold Separately



#### LWW120-LNK-10

LWW120-LNK-36

LWW120-LNK-72

10", 36", 72" LINK EXTENSION CABLE

\*Sold Separately



#### LWW120-HWC-72

LWW120-HWC-120

72" AND 120" HARDWIRE CABLE

\*Sold Separately

