

# LWW120-VHO

## 120V-277V HIGH-OUTPUT LED WALL WASHER

Project \_\_\_\_\_

Location \_\_\_\_\_

Quote/ Ref # \_\_\_\_\_

**LWW120-VHO** Linear Wall washer series is a powerful 120V LED flood light typically used for building facades, signs or any wall washing application Available in multiple optical lens options to provide endless lighting solutions.

### SPECIFICATIONS

INPUT VOLTAGE	120-277 AC
POWER CONSUMPTION	15W
LUMENS PER WATT	100 Lm/W (30K)
COLOR TEMPERATURE	27K/ 30K/ 35K/ 40K/ 50K/ 60K
BEAM ANGLE	10°/ 20°/ 25°/ 35°/ 50°/ 10°x60
MAX RUN	Linkable up to 17 Fixtures
CRI	90+
DIMMING	0-10V and DALI-2
OPERATING TEMPERATURE	-40°F (-40°C) to 122°F (50°C)
STORAGE TEMPERATURE	-40°F (-40°C) to 185°F (85°C)
HOUSING	6063 Aluminum Alloy
IP RATING	IP66 Outdoor/ Wet Location
CERTIFICATIONS	ETL Listed, CE
LUMEN MAINTENANCE	> 70,000 Hrs.
WARRANTY	5-Year Limited



### FEATURES

- 90+ CRI
- Multiple beam angles
- Multiple CCT options available
- ETL Listed





MODEL	LENGTH	CCT	OPTICS	MOUNT	FINISH	DIM	VOLT	OPTIONAL ACCESSORIES
LWW120-VHO	<b>24</b> 23.6 in (30W)	<b>27K</b> 2700K	<b>10</b> 10°	<b>STB</b> Standard Tilting Bracket	<b>GR</b> Gray	<b>010</b> 0-10V	<b>UNV</b> 120V-277V	<b>ADLV</b> Asymmetric Anti-Glare Louver
	<b>36</b> 35.4 in (45W)	<b>30K</b> 3000K	<b>20</b> 20°	<b>ETB</b> Extended Tilting Bracket	<b>BK</b> Black	<b>DALI</b> DALI		<b>SDLV</b> Symmetric Anti-Glare Louver
	<b>48</b> 47.2 in (60W)	<b>35K</b> 3500K	<b>25</b> 25°	<b>STK</b> Mounting Stake	<b>WH</b> White			<b>GS</b> Glare Shield
	<b>50K</b> 5000K	<b>50</b> 50°	<b>WMS</b> Small Wall Mount					
	<b>60K</b> 6000K	<b>1060</b> 10°x60°	<b>WML</b> Large Wall Mount					


# LWW120-VHO

## 120V-277V HIGH-OUTPUT LED WALL WASHER


### DIMENSIONS



LWW120-VHO-24



LWW120-VHO-36




LWW120-VHO-48


# LWW120-VHO

## 120V-277V HIGH-OUTPUT LED WALL WASHER


### OPTICS




10°



20°




25°



35°






50°






10° x 60°

### MOUNTING ACCESSORIES




LWW120-VHO-STB  
STANDARD TILTING BRACKET  
\*Included with every Fixture



LWW120-VHO-ETB  
EXTENDED TILTING BRACKET  
\*Sold Separately



LWW120-VHO-STK  
MOUNTING STAKE  
\*Sold Separately




# LWW120-VHO

## 120V-277V HIGH-OUTPUT LED WALL WASHER

### MOUNTING ACCESSORIES


**LWW-WMS**  
SMALL WALL MOUNT (6-9")  
\*Sold Separately

**LWW-WML**  
LARGE WALL MOUNT (14-22")  
\*Sold Separately



### COMPATIBLE ACCESSORIES

**LWW120-EC**  
END CAP  
\*Sold Separately  
\*One end cap required per run length




**LWW120-VHO-12-ADLV**  
**LWW120-VHO-24-ADLV**  
**LWW120-VHO-36-ADLV**  
**LWW120-VHO-48-ADLV**  
12", 24", 36", 48" ASYMMETRIC LOUVER  
\*Sold Separately



**LWW120-VHO-12-SDLV**  
**LWW120-VHO-24-SDLV**  
**LWW120-VHO-36-SDLV**  
**LWW120-VHO-48-SDLV**  
12", 24", 36", 48" SYMMETRIC LOUVER  
\*Sold Separately



**LWW120-VHO-GS**  
GLARE SHIELD



# LWW120-VHO

## 120V-277V HIGH-OUTPUT LED WALL WASHER

### COMPATIBLE ACCESSORIES

---

LWW120-LNK-10  
LWW120-LNK-36  
LWW120-LNK-72  
10", 36", 72" LINK EXTENSION CABLE  
\*Sold Separately



---

LWW120-HWC-72  
LWW120-HWC-120  
72" AND 120" HARDWIRE CABLE  
\*Sold Separately

