

ULT SERIES

120V TRIAC DIMMING UNDERCABINET LED FIXTURE

Project _____

Location _____

Quote/ Ref # _____

The **ULT SERIES** combines style and efficiency eliminating hot spots for a smooth, seamless and uniform beam of light. Its intuitive design adds functionality and a vibrant atmosphere to your kitchen or design space and illuminating shadows and dark corners. It creates a warm, soft, ambient glow with its dimmable feature.



SPECIFICATIONS

POWER CONSUMPTION	7W per Ft.
LUMEN OUTPUT	490 Lumens per Ft.
CRI	90+
COLOR TEMPERATURE	27K/ 30K/ 40K
MAXIMUM RUN LENGTH	Linkable up to 300W
MOUNTING	Surface
DIMMING	Triac
POWER FACTOR	≥ 0.9
OPERATING VOLTAGE	120V
OPERATING TEMPERATURE	14°F (-10°C) to +104°F (+40°C)
CERTIFICATIONS	ETL Listed, TITLE 24 JA8
LUMEN MAINTENANCE	50,000 Hrs.
DIMENSIONS	28 x 24mm (1.1 x 0.94") (WxH)

FEATURES

- 120V AC, No transformer required
- Dimmable with Triac Dimmers
- Linkable up to 300W
- Selectable CCT
- Superior color rendering index 90CRI
- Seamless Connector included
- 5 Different Sizes Available
- Premium Diffusion, No Hot Spots

MODEL	ULT1012	ULT1018	ULT1024	ULT1032	ULT1048
LENGTH	12"	18"	24"	32"	48"
WATTS	7W	10W	13.5W	17W	27W
LUMENS	490	700	945	1150	1890




MODEL	LENGTH	FINISH	VOLTAGE	OPTIONS
ULT	1012 12"	WH White	120 120 Volts	MS* Motion Sensor
	1018 18"			
	1024 24"			
	1032 32"			
	1048 48"			
				*Custom. Minimum Order (Qty. 50) required. Allow 4 weeks lead time.

ULT SERIES

120V TRIAC DIMMING UNDERCABINET LED FIXTURE

DIMENSIONS



COMPATIBLE ACCESSORIES

ULT-PCA-72-WH (white)
72" AC DIRECT PLUG IN POWER FEED CABLE



ULT-HWC-72-WH (white)
72" HARDWIRE POWER FEED CABLE



ULT-SMC-WH (white)
SEAMLESS COUPLING
* INCLUDED WITH EACH FIXTURE



ULT-LNK6-WH (white)
6" INTER LINK CABLE

ULT-LNK12-WH (white)
12" INTER LINK CABLE

ULT-LNK24-WH (white)
24" INTER LINK CABLE

ULT-LNK72-WH (white)
72" INTER LINK CABLE



ULT-BKT-WH (white)
MOUNTING BRACKET
* INCLUDED WITH EACH FIXTURE



ULT SERIES

120V TRIAC DIMMING UNDERCABINET LED FIXTURE

COMPATIBLE ACCESSORIES

ULT-CBT-WH (white)

SUPPORT BRACKET FOR SEAMLESS CONNECTION

* INCLUDED WITH EVERY FIXTURE



ULD-JBS-WH (white)

DIRECT WIRE JUNCTION BOX

6.25" x 3.6" x 1.0" (L x W x H)

