

LWW120-HO

120V-277V HIGH-PERFORMANCE LED WALL WASHER

Project _____

Location _____

Quote/ Ref # _____

LWW120-HO Linear Wall washer series is a powerful 120V LED flood light typically used for building facades, signs or any wall washing application Available in multiple optical lens options to provide endless lighting solutions. Available in narrow, medium, wide and elliptical optic options.



SPECIFICATIONS

INPUT VOLTAGE	100-277V AC
OPERATING FREQUENCY	50-60Hz
POWER CONSUMPTION	12W/Ft.
LUMEN OUTPUT	100 Lm/W (35K)
COLOR TEMPERATURE	22K / 27K / 30K / 40K / 50K / 60K / RD / GN / BL
BEAM ANGLE	10° / 20° / 35° / 50° / 15° x 40°
MAX RUN	Linkable up to 60 ft
CRI	90+
DIMMING	0-10V
OPERATING TEMPERATURE	-40°F (-40°C) to 122°F (50°C)
STORAGE TEMPERATURE	-40°F (-40°C) to 185°F (85°C)
HOUSING	6063 Extruded aluminum
IP RATING	IP66 Outdoor/Wet Location
CERTIFICATIONS	ETL Listed
LUMEN MAINTENANCE	50,000 hrs.

FEATURES

- Linkable up to 60 ft.
- Multiple Beam Angles
- Multiple CCT Options Available
- Proprietary Adjustable Mounting Bracket
- Facade Wall Washing
- Graze Lighting
- Signage
- ETL Listed



MODEL	LENGTH	COLOR TEMP	OPTICS	FINISH	OPTIONS	VOLTAGE
LWW120-HO	12 12 in (12W)	22K 2200K	RD Red	10 10°	TG Titanium Grey	ADLV Asymmetric Anti-Glare Louver
	24 24 in (24W)	27K 2700K	GN Green	20 20°	*WH White	
	36 36 in (36W)	30K 3000K	BL Blue	35 35°	*BK Black	SDLV Symmetric Anti-Glare Louver
	48 48 in (48W)	40K 4000K		50 50°		
			50K 5000K	1540 15° x 40°		
			60K 6000K			


*Allow 4 weeks lead time

LWW120-HO


120V-277V HIGH-PERFORMANCE LED WALL WASHER

UPDATED: 11.07.25

DIMENSIONS



OPTICS



LWW120-HO

120V-277V HIGH-PERFORMANCE LED WALL WASHER


COMPATIBLE ACCESSORIES

LWW120-EC

END CAP

*Sold Separately

*One end cap required per run length



LWW-WMS


SMALL WALL MOUNT (6-9")

*Sold Separately

LWW-WML

LARGE WALL MOUNT (14-22")

*Sold Separately



LWW120-HO-12-ADLV



LWW120-HO-24-ADLV

LWW120-HO-36-ADLV

LWW120-HO-48-ADLV

12", 24", 36", 48" ASYMMETRIC LOUVER

*SOLD SEPARATELY



LWW120-HO-12-SDLV



LWW120-HO-24-SDLV

LWW120-HO-36-SDLV

LWW120-HO-48-SDLV

12", 24", 36", 48" SYMMETRIC LOUVER

*SOLD SEPARATELY



LWW120-LNK-10

LWW120-LNK-36

LWW120-LNK-72

10", 36", 72" LINK EXTENSION CABLE

*SOLD SEPARATELY



LWW120-HWC-72

LWW120-HWC-120

72" AND 120" HARDWIRE CABLE

*SOLD SEPARATELY

