

LSG-60

6W 120V AC PLUGIN LED TAPE LIGHT

Project _____
Location _____
Quote/ Ref # _____

The **LSG-60** is a dimmable 120V AC outdoor tape light offering the highest quality in direct-connect LED lighting. It can be ordered in custom lengths, in 3 inch increments and comes sealed with an IP67 rating for outdoor or wet installations and applications. This ETL Listed, 120V linear light can reach a maximum length of 66Ft. in a single continuous run.



SPECIFICATIONS

POWER CONSUMPTION	6W per Ft.
LUMEN OUTPUT	Up to 550 Lm/ Ft.
CRI	90+
COLOR TEMPERATURE	24K/ 27K/ 30K/ 35K/ 40K/ 50K
DIMMING	TRIAC
MAXIMUM RUN LENGTH	66 Ft.
CUTTING POINT	Every 3 in (76.2mm)
OPERATING VOLTAGE	120V AC
OPERATING TEMPERATURE	-22°F (-30°C) to 122°F (50°C)
STORAGE TEMPERATURE	-4°F (-20°C) to 140°F (60°C)
BEAM ANGLE	120°
IP RATING	IP67
CERTIFICATIONS	ETL Listed
LUMEN MAINTENANCE	50,000 Hrs.

FEATURES

- Line Voltage Linear Light
- 120V AC, No power supply required
- Continuous Run up to 66 Ft.
- Wet and Dry Locations
- 90+ CRI
- Suitable for Indoor/ Outdoor use
- Custom length available every 3 in.
- Dimmable
- ETL Listed

LUMENS

CCT	LM/ FT	LM/W	CRI
2400K	460	75	90+
2700K	500	80	90+
3000K	510	85	90+
3500K	510	85	90+
4000K	550	90	90+
5000K	550	90	90+




MODEL	COLOR TEMP	LED LENGTH	VOLTAGE	POWER FEED	IP RATING
LSG-60	24K 2400K	*] = Custom length per Ft. (cuttable every 3")	120 120 Volts	HWC36 36" Hardwire Power Feed Cable	IP67 Outdoor*
	27K 2700K			HWC72 72" Hardwire Power Feed Cable	
	30K 3000K			HWC120 120" Hardwire Power Feed Cable	
	35K 3500K			HWC240 240" Hardwire Power Feed Cable	
	40K 4000K			HWC-CUS Custom Length Wire	
	50K 5000K				

* = Ideal for applications with direct exposure to rain/ water
(MADE TO ORDER - Please allow 3 weeks lead time)

LSG-60

6W 120V AC PLUG IN LED TAPE LIGHT


DIMENSIONS



COMPATIBLE ACCESSORIES

MOUNTING CHANNEL


- LSG-AC48
- LSG-AC84
- 48" AND 84" ALUMINUM CHANNEL




MOUNTING CHANNEL & MOUNTING CLIP

- LSG-CN48
- 48" ALUMINUM CHANNEL

- LSG-CN-CL
- MOUNTING CLIP
- * INCLUDED WITH LSG-CN48




LSG-CN48



LSG-CN-CL

- LSG-PC48
- 48" PLASTIC CHANNEL



LSG-60

6W 120V AC PLUG IN LED TAPE LIGHT

COMPATIBLE ACCESSORIES

MOUNTING CHANNEL & FROSTED LENS

LSG-AC3100FR-48-SI
48" CHANNEL (SILVER)

LSG-AC3100FR-84-SI
84" CHANNEL (SILVER)


LSG-AC3100FR-96-SI
96" PROFILE (SILVER)

LSG-AC3100-EC-SI
END CAP (SILVER)

* SOLD SEPARATELY

LSG-AC3100-ECH-SI
END CAP WITH HOLE (SILVER)

* SOLD SEPARATELY



LSG-AC3100FR-MC

MOUNTING CLIP


* 2PCS INCLUDED WITH EVERY 48"

* 4PCS INCLUDED WITH EVERY 84" AND 96"

MOUNTING CLIP

LSG-MC

MOUNTING CLIP



HARDWIRE POWER FEED CABLE

LSG-HWC36 36" HARDWIRE POWER FEED CABLE
LSG-HWC72 72" HARDWIRE POWER FEED CABLE
LSG-HWC120 120" HARDWIRE POWER FEED CABLE
LSG-HWC240 240" HARDWIRE POWER FEED CABLE



POWER CABLE

LSG-PCA72 72" POWER FEED CABLE



LINK EXTENSION CABLE

LSG-LNK6 6" LINK CABLE
LSG-LNK12 12" LINK CABLE
LSG-LNK24 24" LINK CABLE

